



Product Approval

USER: Public User

License efficiently. Regulate fairly.

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE SECRETARY

| FL # | FL17903 | | | | | | | | | | |
|--|--|-----------------|-------------|------------|------|------------|------|-----------|------|---------|------|
| Application Type | New | | | | | | | | | | |
| Code Version | 2014 | | | | | | | | | | |
| Application Status | Approved | | | | | | | | | | |
| Comments | | | | | | | | | | | |
| Archived | <input type="checkbox"/> | | | | | | | | | | |
| Product Manufacturer | Steve's and Sons, Inc | | | | | | | | | | |
| Address/Phone/Email | 203 Humble Ave. San Antonio, TX 78225 (210) 924-5111 jimp@stevesdoors.com | | | | | | | | | | |
| Authorized Signature | Vivian Wright rickw@rwbdgconsultants.com | | | | | | | | | | |
| Technical Representative | Jim Parker | | | | | | | | | | |
| Address/Phone/Email | 203 Humble Ave. San Antonio, TX 78225 (210) 924-5111 jimp@stevesdoors.com | | | | | | | | | | |
| Quality Assurance Representative | | | | | | | | | | | |
| Address/Phone/Email | | | | | | | | | | | |
| Category | Exterior Doors | | | | | | | | | | |
| Subcategory | Swinging Exterior Door Assemblies | | | | | | | | | | |
| Compliance Method | Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer <input type="checkbox"/> Evaluation Report - Hardcopy Received | | | | | | | | | | |
| Florida Engineer or Architect Name who developed the Evaluation Report | Lyndon F. Schmidt, P.E. | | | | | | | | | | |
| Florida License | PE-43409 | | | | | | | | | | |
| Quality Assurance Entity | National Accreditation and Management Institute | | | | | | | | | | |
| Quality Assurance Contract Expiration Date | 12/31/2016 | | | | | | | | | | |
| Validated By | Ryan J. King, P.E. <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received | | | | | | | | | | |
| Certificate of Independence | FL17903_R0_COI_CERTIFICATE OF INDEPENDENCE.pdf | | | | | | | | | | |
| Referenced Standard and Year (of Standard) | <table border="0"> <thead> <tr> <th>Standard</th> <th>Year</th> </tr> </thead> <tbody> <tr> <td>ASTM E1886</td> <td>2002</td> </tr> <tr> <td>ASTM E1996</td> <td>2002</td> </tr> <tr> <td>ASTM E330</td> <td>2002</td> </tr> <tr> <td>TAS 202</td> <td>1994</td> </tr> </tbody> </table> | Standard | Year | ASTM E1886 | 2002 | ASTM E1996 | 2002 | ASTM E330 | 2002 | TAS 202 | 1994 |
| Standard | Year | | | | | | | | | | |
| ASTM E1886 | 2002 | | | | | | | | | | |
| ASTM E1996 | 2002 | | | | | | | | | | |
| ASTM E330 | 2002 | | | | | | | | | | |
| TAS 202 | 1994 | | | | | | | | | | |
| Equivalence of Product Standards Certified By | | | | | | | | | | | |

Product Approval Method

Method 1 Option D

Date Submitted

07/17/2015

Date Validated

10/27/2015

Date Pending FBC Approval

11/01/2015

Date Approved

12/15/2015

Summary of Products

| FL # | Model, Number or Name | Description |
|---|-----------------------|---|
| 17903.1 | A. Opaque Steel Door | 6'8 Single Opaque "Impact" Steel Door - Outswing (X) Configuration |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: See INST 17903.1 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars. | | Installation Instructions FL17903_R0_II_INST_17903.1.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL17903_R0_AE_EVAL_17903.1.pdf Created by Independent Third Party: Yes |
| 17903.2 | B. Opaque Steel Door | 6'8 Double Opaque "Impact" Steel Door - Outswing (XX) Configuration |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: N/A Other: See INST 17903.2 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars. | | Installation Instructions FL17903_R0_II_INST_17903.2.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL17903_R0_AE_EVAL_17903.2.pdf Created by Independent Third Party: Yes |
| 17903.3 | C. Opaque Steel Door | 6'8 Opaque Single Steel Door "Non-Impact" - Inswing (X) Configuration |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 17903.3 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars. | | Installation Instructions FL17903_R0_II_Inst_17903.3.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL17903_R0_AE_EVAL_17903.3.pdf Created by Independent Third Party: Yes |
| 17903.4 | D. Opaque Steel Door | 6'8 Opaque Single Steel Door with Sidelite "Non-Impact" - Outswing or Inswing (OX or XO) Configuration |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 17903.4 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars. | | Installation Instructions FL17903_R0_II_Inst_17903.4.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL17903_R0_AE_EVAL_17903.4.pdf Created by Independent Third Party: Yes |
| 17903.5 | E. Opaque Steel Door | 6'8 Opaque Single Steel Door with Sidelites "Non-Impact" - Outswing or Inswing (OXO) Configuration |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 17903.5 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars. | | Installation Instructions FL17903_R0_II_Inst_17903.5.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL17903_R0_AE_EVAL_17903.5.pdf Created by Independent Third Party: Yes |
| 17903.6 | F. Glazed Steel Door | 6'8 Glazed Single Steel Door "Non-Impact" - Outswing or Inswing (X) Configuration |

| | | |
|----------|--|--|
| | <p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 17903.6 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars.</p> | <p>Installation Instructions FL17903_RO_II_INST_17903.6.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL17903_RO_AE_EVAL_17903.6.pdf Created by Independent Third Party: Yes</p> |
| 17903.7 | G. Glazed Steel Door | 6'8 Glazed Single Steel Door with Sidelite "Non-Impact" - Outswing or Inswing (OX or XO) Configuration |
| | <p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 17903.7 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars.</p> | <p>Installation Instructions FL17903_RO_II_Inst_17903.7.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL17903_RO_AE_EVAL_17903.7.pdf Created by Independent Third Party: Yes</p> |
| 17903.8 | H. Glazed Steel Door | 6'8 Glazed Single Steel Door with Sidelites "Non-Impact" - Outswing or Inswing (OXO) Configuration |
| | <p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 17903.8 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars.</p> | <p>Installation Instructions FL17903_RO_II_Inst_17903.8.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL17903_RO_AE_EVAL_17903.8.pdf Created by Independent Third Party: Yes</p> |
| 17903.9 | I. Glazed Steel Door | 6'8 Double Glazed Steel Door "Non-Impact" - Outswing or Inswing (XX) Configuration |
| | <p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 17903.9 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars.</p> | <p>Installation Instructions FL17903_RO_II_INST_17903.9.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL17903_RO_AE_EVAL_17903.9.pdf Created by Independent Third Party: Yes</p> |
| 17903.10 | J. Glazed Steel Door | 6'8 Double with Sidelites Glazed Steel Door "Non-Impact" - Outswing or Inswing (OXXO) Configuration |
| | <p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 17903.10 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars.</p> | <p>Installation Instructions FL17903_RO_II_INST_17903.10.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL17903_RO_AE_EVAL_17903.10.pdf Created by Independent Third Party: Yes</p> |
| 17903.11 | k. Opaque Steel Door | 6'8 Opaque Single Steel Door with Sidelite "Non-Impact" - Continuous Head and Sill Outswing or Inswing (OX or XO) Configuration |
| | <p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 17903.11 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars.</p> | <p>Installation Instructions FL17903_RO_II_INST_17903.11.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL17903_RO_AE_EVAL_17903.11.pdf Created by Independent Third Party: Yes</p> |
| 17903.12 | l. Opaque Steel Door | 6'8 Opaque Double Steel Door with Sidelites "Non-Impact" - Continuous Head and Sill Outswing or Inswing (OXXO) Configuration |
| | <p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 17903.12 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars.</p> | <p>Installation Instructions FL17903_RO_II_INST_17903.12.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL17903_RO_AE_EVAL_17903.12.pdf Created by Independent Third Party: Yes</p> |

| | | |
|---|----------------------|---|
| 17903.13 | m. Opaque Steel Door | 6'8 Opaque Double Steel Door with Sidelites "Non-Impact" - Outswing (OXXO) Configuration |
| Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 17903.13 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars. | | Installation Instructions FL17903_R0_II_INST_17903.13.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL17903_R0_AE_EVAL_17903.13.pdf Created by Independent Third Party: Yes |

[Back](#)

[Next](#)

[Contact Us](#) :: [1940 North Monroe Street, Tallahassee FL 32399](#) Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida.](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:

