



Product Approval
 USER: Public User

License efficiently. Regulate fairly.

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE SECRETARY

FL #	FL17772-R1	
Application Type	Revision	
Code Version	2014	
Application Status	Validated	
Comments		
Archived	<input type="checkbox"/>	
Product Manufacturer	Steve's and Sons, Inc	
Address/Phone/Email	203 Humble Ave. San Antonio, TX 78225 (210) 924-5111 jimp@stevesdoors.com	
Authorized Signature	Vivian Wright rickw@rwbdgconsultants.com	
Technical Representative	Jim Parker	
Address/Phone/Email	203 Humble Ave. San Antonio, TX 78225 (210) 924-5111 jimp@stevesdoors.com	
Quality Assurance Representative		
Address/Phone/Email		
Category	Exterior Doors	
Subcategory	Swinging Exterior Door Assemblies	
Compliance Method	Certification Mark or Listing	
Certification Agency	National Accreditation & Management Institute	
Validated By	Ryan J. King, P.E.	
	<input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received	
Referenced Standard and Year (of Standard)	Standard	Year
	ASTM E330	2002
Equivalence of Product Standards Certified By		
Product Approval Method	Method 1 Option A	
Date Submitted	12/03/2015	
Date Validated	12/08/2015	

Summary of Products

FL #	Model, Number or Name	Description
17772.1	a. Exterior Wood Door Series	"Non-Impact" Glazed 3/4 True Divided Lite Stile and Rail Arch Top Wood Doors Outswing/Inswing - (X and XX Configurations up to 8'0 in Height)
<p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 17772.1 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars.</p>		<p>Certification Agency Certificate FL17772_R1_C_CAC_NI009468A (Outswing).PDF FL17772_R1_C_CAC_NI009468-R3 (Inswing).pdf Quality Assurance Contract Expiration Date 06/30/2018 Installation Instructions FL17772_R1_II_INST_17772.1.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL17772_R1_AE_Eval_17772.1.pdf Created by Independent Third Party: Yes</p>
17772.2	b. Exterior Wood Door Series	"Non-Impact" Glazed 3/4 Lite Stile and Rail Wood Doors with Sidelites Outswing/Inswing - (OX or XO, OXO and OXXO Configurations up to 8'0 in Height)
<p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 17772.2 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars.</p>		<p>Certification Agency Certificate FL17772_R1_C_CAC_FL17772.2 - NI006838-R3 (Inswing).pdf FL17772_R1_C_CAC_FL17772.2 - NI008052-R3 (Outswing).pdf Quality Assurance Contract Expiration Date 05/31/2018 Installation Instructions FL17772_R1_II_INST_17772.2.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL17772_R1_AE_Eval_17772.2.pdf Created by Independent Third Party: Yes</p>
17772.3	c. Exterior Wood Door Series	"Non-Impact" Glazed 3/4 Lite Stile and Rail Wood Doors with Transom Outswing/Inswing - (O/X and O/XX Configurations up to 8'0 in Height)
<p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 17772.2 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars.</p>		<p>Certification Agency Certificate FL17772_R1_C_CAC_NI006839-R2 (Inswing).pdf FL17772_R1_C_CAC_NI008049-R2 (Outswing).pdf Quality Assurance Contract Expiration Date 05/31/2018 Installation Instructions FL17772_R1_II_INST_17772.3.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL17772_R1_AE_Eval_17772.3.pdf Created by Independent Third Party: Yes</p>
17772.4	d. Exterior Wood Door Series	"Non-Impact" Opaque Stile and Rail Radius Top Wood Doors Outswing/Inswing - (X and XX Configurations up to 8'0 in Height)
<p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 17772.4 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars.</p>		<p>Certification Agency Certificate FL17772_R1_C_CAC_NI008050A (Outswing).PDF FL17772_R1_C_CAC_NI008050-R2 (Inswing).pdf Quality Assurance Contract Expiration Date 05/31/2018 Installation Instructions FL17772_R1_II_INST_17772.4.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL17772_R1_AE_Eval_17772.4.pdf Created by Independent Third Party: Yes</p>
17772.5	e. Exterior Wood Door Series	"Non-Impact" Opaque Stile and Rail Arch Top Wood Doors Outswing/Inswing - (X and XX Configurations up to 8'0 in Height)
<p>Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 17772.5 for Design Pressure Ratings, any</p>		<p>Certification Agency Certificate FL17772_R1_C_CAC_FL17772.5 - NI009468.01 (Outswing).pdf FL17772_R1_C_CAC_FL17772.5 - NI009468.02 (Inswing).pdf Quality Assurance Contract Expiration Date 06/30/2018</p>

additional use limitations, installation instructions and product particulars.		Installation Instructions FL17772_R1_II_INST_17772.5.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL17772_R1_AE_Eval_17772.5.pdf Created by Independent Third Party: Yes
17772.6	f. Exterior Wood Door Series	"Non-Impact" Opaque Stile and Rail Wood Doors with Sidelites Outswing/Inswing - (OX or XO, OXO and OXXO Configurations up to 8'0 in Height)
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 17772.6 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars.		Certification Agency Certificate FL17772_R1_C_CAC_FL17772.6 - NI006838.01 (Inswing).pdf FL17772_R1_C_CAC_FL17772.6 - NI008052.01 (Outswing).pdf Quality Assurance Contract Expiration Date 05/31/2018 Installation Instructions FL17772_R1_II_INST_17772.6.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL17772_R1_AE_Eval_17772.6.pdf Created by Independent Third Party: Yes
17772.7	g. Exterior Wood Door Series	"Non-Impact" Opaque Stile and Rail Wood Doors with Transom Outswing/Inswing - (O/X and O/XX Configurations up to 8'0 in Height)
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See INST 17772.7 for Design Pressure Ratings, any additional use limitations, installation instructions and product particulars.		Certification Agency Certificate FL17772_R1_C_CAC_FL17772.7 - NI006839.01 (Inswing).pdf FL17772_R1_C_CAC_FL17772.7 - NI008049.01 (Outswing).pdf Quality Assurance Contract Expiration Date 05/31/2018 Installation Instructions FL17772_R1_II_INST_17772.7.pdf Verified By: Lyndon F. Schmidt, P.E. 43409 Created by Independent Third Party: Yes Evaluation Reports FL17772_R1_AE_Eval_17772.7.pdf Created by Independent Third Party: Yes

[Back](#)

[Next](#)

[Contact Us](#) :: [1940 North Monroe Street, Tallahassee FL 32399](#) Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida.](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:

