


ENERGY STAR® Certified in All 50 States



■ Certified



Crest Doors, Inc. DBA
STEVE'S & SONS

2015 IECC Compliant

Fiberglass

Wood Edge Entry and Patio Door
CRT-M-1

ENERGY PERFORMANCE RATINGS

Product Description* Default Frame**	U-Factor ¹ /Solar Heat Gain Coefficient (SHGC)			
	Individual Option Number			
	1/4 Lite ≤410†	1/2 Lite ≤900†	3/4 Lite ≤1100†	Full Lite >1100†
Triple Pane Decorative IG	0.22	0.25	0.27	0.30
	0.10	0.19	0.25	0.32
	00944-00001	00945-00001	00946-00001	00947-00001
1 Inch Decorative IG	0.23	0.28	0.31	0.34
	0.06	0.10	0.24	0.36
	00983-00001	00984-00001	00985-00001	00986-00001
1 Inch IG Low E With Argon	—	—	—	0.27
	—	—	—	0.23
	—	—	—	01028-00001
1 Inch IG Low E With Blinds	—	0.25	0.27	0.29
	—	0.10	0.14	0.17
	—	01001-00001	01002-00001	01003-00001
1 Inch IG Low E Grille Between Glass	0.21	0.24	0.26	0.28
	0.09	0.16	0.22	0.23
	00901-00002	00902-00002	00903-00002	01048-00002
1/2 Inch IG Low E With Grilles	0.22	0.25	0.28	0.30
	0.09	0.16	0.22	0.23
	00893-00002	00894-00002	00895-00002	01047-00002
1/2 Inch IG Low E	0.22	0.25	0.28	0.30
	0.10	0.17	0.24	0.25
	00893-00001	00894-00001	00895-00001	01047-00001
Vent Lite IG	—	0.30	—	—
	—	0.17	—	—
	—	01011-00001	—	—
Flush/Embossed 00880-00001	U-Factor¹ 0.17		SHGC 0.01	

Air Leakage ≤ 0.3 cfm/ft²

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for a specific use. Consult manufacturer's literature for other product performance information.

* Numbers below the performance ratings are referenced in the NFRC Certified Products Directory (e.g., ABS-X-1-00001-00001 or 123-X-1-00001-00001)

** #glazing layers / spacer type / low-e emissivity (surface) / gap fill / gap width (na=not applicable)

***per NFRC 100

† square inches

1 btu/hr*ft²*F

www.nfrc.org

10-7-16

DO NOT REMOVE UNTIL FINAL INSPECTION